

The following Listing of the Claims will replace all prior versions and all prior listings of the claims in the present application:

Listing of The Claims:

1. (Currently Amended) A method of ~~vaccinating~~ stimulating an immune response in a mammal to ~~an selected~~ antigen, the method comprising

administering to a mammal a ~~vaccine~~ composition comprising a cytokine-coated cell comprising said ~~selected~~ antigen, wherein said cytokine of said cytokine-coated cell is exogenous to and bound to said cell, and wherein ~~said mammal is vaccinated~~ an immune response is stimulated in said mammal to said ~~selected~~ antigen.

2. (Currently Amended) A method of ~~vaccinating~~ stimulating an immune response in a mammal to ~~an selected~~ antigen, the method comprising

administering to a mammal a ~~vaccine~~ composition comprising a cytokine-coated cell, wherein said cytokine of said cytokine-coated cell is exogenous to and bound to said cell, wherein said cytokine-coated cell comprises said ~~selected~~ antigen and is admixed with an engineered cytokine, and wherein ~~said mammal is vaccinated~~ an immune response is stimulated in said mammal to said ~~selected~~ antigen.

3. (Currently amended) The method of claim 1 or claim 2 wherein said ~~vaccine~~ composition further comprises an opsonin-enhanced cell.

4. (Previously presented) The method of claim 3 wherein said opsonin of said opsonin-enhanced cell is selected from the group consisting of mannose binding protein or the alpha' chain of C3b.

5. (Previously presented) The method of any one of claims 1 or 2 wherein said cytokine of said cytokine-coated cell comprises a lipid.

6. (Previously presented) The method of claim 5 wherein said cytokine comprises a GPI moiety.

7. (Previously presented) The method of claim 5 wherein said cytokine comprises a fatty acid.

8. (Previously presented) The method of claim 7 wherein said fatty acid is palmitate.

9-12. (Cancelled)

13. (Currently Amended) A method of ~~vaccinating~~ stimulating an immune response in a mammal to an selected antigen, the method comprising administering to the mammal a ~~vaccine~~ composition comprising a cytokine-coated cell comprising said antigen, wherein said cytokine of said cytokine-coated cell is exogenous to and bound to said cell, wherein said cytokine is a ligand for the GM-CSF receptor, and wherein ~~said mammal is vaccinated~~ an immune response is stimulated in said mammal to said ~~selected~~ antigen.

14. (Original) The method of claim 13, wherein said ligand for the GM-CSF receptor is GM-CSF.

15. (Currently amended) A method of ~~vaccinating~~ stimulating an immune response in a mammal to an selected antigen, the method comprising; administering to a mammal a ~~vaccine~~ composition comprising a cytokine-coated cell comprising said antigen, wherein said cytokine of said cytokine-coated cell is exogenous to and bound to said cell, wherein said cytokine is a ligand for one of the following receptors: the IL-2 receptor, the IL-4 receptor, the IL-6 receptor, the IL-10 receptor, the IL-12 receptor, the TNF- $\alpha$  receptor, the IFN- $\gamma$  receptor, a chemokine receptor.

16. (Previously presented) The method of claim 15, wherein said ligand is selected form the group consisting of: IL-2, IL-4, IL-6, IL-10, IL-12, TNF- $\alpha$ , IFN- $\gamma$ , or a chemokine.

17. (Previously presented) The method of any one of claims 1 or 13, wherein said cell of said cytokine-coated cell is a pathogenic cell.

18. (Original) The method of claim 17 wherein said pathogenic cell is a malignant tumor cell.

19. (Currently Amended) The method of claim 17 wherein said cell of said pathogenic cell is selected from the group consisting of: a bacterium, a virus, a fungus, and a cell of a parasite.
20. (Currently amended) The method of claim 17, wherein said ~~vaccine~~ composition further comprises an opsonin-enhanced pathogenic cell.
21. (Currently amended) A method of ~~vaccinating~~ stimulating an immune response in a mammal to an ~~selected~~ antigen, the method comprising administering to a mammal a vaccine composition comprising an opsonin-enhanced pathogenic cell and a cytokine-coated pathogenic cell, wherein said cytokine of said cytokine-coated cell is exogenous to and bound to said cell, wherein said opsonin is selected from the group consisting of mannose binding protein or the alpha' chain of C3b.
22. (Previously presented) The method of any one of claims 1 or 13 wherein said cytokine-coated cell is substantially unable to divide in vitro.
23. (Currently Amended) The method of any one of claims 1 or 13, wherein said ~~vaccine composition~~ cytokine-coated cell is attenuated.
24. (Previously presented) The method of any one of claims 1 or 13, wherein said cytokine is an antitumor cytokine.
25. (Previously presented) The method of any one of claims 1 or 13, wherein said cytokine is extremely bioactive, natively bioactive, or suprabioactive.